

Attorney Docket: 3092-424

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : HSU
Application No. : 10/815,861
Filed : April 2, 2004
Title : ELECTRICAL CONNECTOR WITH GROUNDING EFFECT
Group Art Unit : 2833
Examiner : A. Gilman
Docket No. : 3092-424

MAIL STOP PETITION BRANCH

Honorable Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

**PETITION TO WITHDRAW HOLDING OF ABANDONMENT
UNDER 37 C.F.R. § 1.181**

Sir:

In response to the Notice of Abandonment of August 10, 2005, Applicant submits the following remarks.

REMARKS

The undersigned received a Notice of Abandonment regarding the above-identified U.S. Patent Application mailed on August 10, 2005, indicating that this application had been abandoned due to Applicant's failure to timely file a proper reply to the Office Action mailed on February 3, 2005. Applicant respectfully traverses this contention and requests that the holding of abandonment be withdrawn.


A proper response was filed in the mail room of the U.S. Patent and Trademark Office on August 3, 2005. Attached hereto is a receipt bearing the date stamp of the U.S. Patent and Trademark Office of August 3, 2005 indicating the receipt of an Amendment in response to the Office Action of February 3, 2005, a petition for a three month extension of time including authorization to charge Deposit Account No. 501874 and a Letter to the Official Draftsperson along with one sheet of marked-up drawings (Fig. 5). Copies of all of these documents are also attached hereto.

It is believed to be evident that Applicant did, in fact, file a proper response on August 3, 2005, within the allowable time for a response to the Office Action mailed on February 3, 2005. It is hereby requested that the holding of abandonment be withdrawn and that this application be returned to pending status.

Respectfully submitted,

Date: August 19, 2005

By: _____


Bruce H. Troxell
Reg. No. 26,592

TROXELL LAW OFFICE PLLC
5205 Leesburg Pike, Suite 1404
Falls Church, Virginia 22041
Telephone: 703 575-2711
Telefax: 703 575-2707